Ref #	Hits	Search Query	DBs	Default Operator	Plurals
L43	444	(310/335).CCLS.	US-PGPUB; USPAT; USOCR	OR .	OFF
L44	715	(310/330).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF
L45	1493	(310/334).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L46	638	(310/324).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L47	2426	(310/311).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L48	569	(310/326).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF
L49		(310/329).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF
L50	2551	(310/328).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF

151	27/	(040/00=1)		
L51	276		US-PGPUB; OR USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF
L52	1363	(310/309).CCLS.	US-PGPUB; OR USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF
L54	492	(310/337).CCLS.	US-PGPUB; OR USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF
L55	1498	(600/459).CCLS.	US-PGPUB; OR USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF
L56	302	(73/642).CCLS.	US-PGPUB; OR USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OFF
L59	531	(310/322).CCLS.	1	OFF
L60	322	(310/325).CCLS.	US-PGPUB; OR (USPAT; USOCR	OFF

L29	28	12 and backing	US-PGPUB	OR	ON
L30	4	13 and backing	US-PGPUB	OR	ON
L31	0	I1 and I4 and array	US-PGPUB	OR	ON
L33	159	Micromachined near sensors	US-PGPUB	OR	ON
L34	101	micromachined near transducers	US-PGPUB	OR ·	ON

Re #	ef —	Hit	S Search Query	DBs	Default Operato	Plura	ls
L1	.	10	micromachined near transducer	US-PGPUE	<del></del>	ON	$\dashv$
L2	!	130	micromachined same ultrasonic near transducer	US-PGPUB	OR	ON	
. L3		159	micromachined near sensors	US-PGPUB	OR	ON	
L4		11	micromachined near sensors and curved	US-PGPUB	· ·	ON	
L5		11	micromachined near sensors and curved(probe,spine)	US-PGPUB	OR	ON	
L6		33	I1 and capacitive	US-PGPUB	OR	ON	
L7		111	I2 and capacitive	US-PGPUB		ON	
L8	İ	64	I3 and capacitive	US-PGPUB	OR	ON	
L9		7	I5 and capacitive	US-PGPUB	OR	ON	
L10		1	I5 and I2 and I3 and I4 and I5 and piezoelectric	US-PGPUB	OR	ON	
L11		. 1	I5 and I2 and I3 and I4 and I5 and (PMUT)	US-PGPUB	OR	ON	
L12		1	I5 and I2 and I3 and I4 and I5 and (CMUT)	US-PGPUB	OR	ON	
L13		0	I5 and I2 and I3 and I4 and I5 and curved near(aperture,hole,opening)	US-PGPUB	OR	ON	
L14		0	I5 and I2 and I3 and I4 and I5 and curved near(aperture,hole,)	US-PGPUB	OR	ON	
L15		1	I5 and I2 and I3 and I4 and I5 and curved near(aperture)	US-PGPUB	OR	ON	1
L16		0	I5 and I2 and I3 and I4 and I5 and curved near(hole)	US-PGPUB	OR	ON	
L17		3	l3 and front near face	US-PGPUB	OR	ON	
L18		1	13 and front near face near substrate	US-PGPUB	OR	ON	
L19		2	13 and face near substrate	US-PGPUB	OR	ON	
L20		2	13 and front near substrate	US-PGPUB	OR	ON	
L21		0	l1 and front near substrate	US-PGPUB	OR	ON	
L22		3	12 and front near substrate	US-PGPUB	OR	ON	
L23		1	15 and front near substrate	US-PGPUB	OR	ON	) 3
L24		0	i1 and plateaus and projecting	US-PGPUB	OR	ON	;   9   9
L25		1	l1 and plateaus	US-PGPUB	OR	ON	4
L26		2	I2 and plateaus	US-PGPUB	OR	ON	
L27		1	I3 and plateaus	US-PGPUB	OR	ON	
L28	<u> </u>	4	I3 and backing	US-PGPUB	_	ON	